

Panelite QuickScreen | Daylight, Transparency, Quick-install
FREESTAND



Panelite QuickScreen | Daylight, Transparency, Quick-install FREESTAND

Panelite's QuickScreen **FREESTAND** is a lightweight, movable stand-alone partition that maintains ample daylight and visibility while providing a physical barrier that is easily cleaned and sanitized.


Our proprietary facing-to-core bonding method allows for clear visibility face-on through the panel, while mitigating views from side angles. There is a sense of visual connection to the immediate environment while maintaining a degree of privacy.

The Panelite panel of your choice is supported on minimal yet sturdy supports in stainless steel or RAL colors. A spring mechanism automatically and securely clamps the panel in place, while they are also easily removable. QuickScreen **FREESTAND** is available with the full range of Panelite panels, edged in metallic-finish ABS.



QUICKSCREEN FREESTAND DETAILS

STAND MATERIAL	Polished stainless steel or RAL colors
STAND DIMENSIONS	17 1/4" x 9 3/8" x 2" x 3/16"
STAND WEIGHT (per unit)	4 lbs
PANEL MATERIAL (thickness)	Any PANELITE panel (13/16") or PANELITE ACOUSTIC panel (7/16")
FULL DIMENSIONS	39 3/8 " x 59" or 39 3/8 " x 78 3/4"
EDGING	Metal finish ABS or wood (recommended for 100% recycled core)
INSTALL TIME	Minutes, no hardware, tools, skilled labor required



Panelite QuickScreen | Daylight, Transparency, Quick-install
FREESTAND



Panelite QuickScreen | Daylight, Transparency, Quick-install
FREESTAND



Panelite QuickScreen | Daylight, Transparency, Quick-install
CABLE




Panelite QuickScreen | Daylight, Transparency, Quick-install

CABLE

Panelite's QuickScreen **CABLE** is a frameless, lightweight, suspended side-fastening partition that maintains ample daylight and visibility while providing a physical barrier that is easily cleaned and sanitized.

Our proprietary facing-to-core bonding method allows for clear visibility face-on through the panel, while mitigating views from side angles. There is a sense of visual connection to the immediate environment while maintaining a degree of privacy.

QuickScreen **CABLE** is available with honeycomb panels in clear tubular and random tubular cell configurations edged with metallic finish ABS. The kit of parts includes stainless steel cables, polished steel ceiling and floor anchors, and connectors for single or multiple panels.




QUICKSCREEN CABLE DETAILS

HARDWARE	Polished stainless steel cables, ceiling + floor anchors
PARTITION DIMENSIONS	39 3/8 " x 78 3/4" - cable up to 106 5/16" 39 3/8 " x 94 1/2" - cable up to 118 1/8"
PANEL MATERIAL (thickness)	Clear tubular or random tubular honeycomb (11/32")
EDGING	Metal finish ABS
INSTALL TIME	Approx. one hour incl. drilling into concrete/ granite



Tubular Random (B-RCCT) panel, shown throughout



Tubular (B-TCCT) panel




Stainless steel floor anchor



Single panel connector

Panelite QuickScreen | Daylight, Transparency, Quick-install

CABLE




(x2) Polished stainless steel ceiling anchor



1,6 mm Cable



(x2) Polished stainless steel floor anchor



Single panel connector, also avail. in Double

PANELITE panel with metallic ABS edge

KIT OF PARTS

Panelite QuickScreen | Daylight, Transparency, Quick-install
CABLE



Panelite QuickScreen | Daylight, Transparency/Privacy, Quick-install **DESK**

Panelite's QuickScreen **DESK** is a lightweight, easy-to-install partition that maintains ample daylight and visibility while providing a physical barrier that is easily cleaned and sanitized.

QuickScreen **DESK** is installed with a clamp support and is ideal to divide workstations in open plan offices and other collaborative environments. Available in a range of Panelite panel options including a micro-perforated acoustic panel and a 100% recycled paper honeycomb core. Also available in clear PMMA Acrylic. Edging: metallic-finish ABS or wood. Aluminum bracket in silver or black.



QUICKSCREEN DESK DETAILS

BRACKET MATERIAL	Aluminum in silver or black
PARTITION DIMENSIONS	29 1/2" x 19 11/16" 39 3/8" x 29 1/2" 59" x 19 11/16" 59" x 29 1/2"
PANEL MATERIAL (thickness)	Any PANELITE (13/16") or ACOUSTIC panel (7/16"); Clr PMMA (5/16")
EDGING	Metal finish ABS or wood (recommended for 100% recycled core)
INSTALL TIME	Minutes, no hardware, tools, skilled labor required



Panelite QuickScreen | Daylight, Transparency/Privacy, Quick-install
DESK

